

Responses to Comments on 56 Code Pairs objected to by ACOG, AUGS, SGS, SUFU

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58260	Vaginal hysterectomy, for uterus 250 g or less;	57210	Colpoperineorrhaphy, suture of injury of vagina and/or perineum (nonobstetrical)	CMS will retain this PTP edit with a modifier indicator of 1, allowing NCCI-associated modifiers to be used to bypass the edit.
58260	Vaginal hysterectomy, for uterus 250 g or less;	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.
58260	Vaginal hysterectomy, for uterus 250 g or less;	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58260	Vaginal hysterectomy, for uterus 250 g or less;	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58260	Vaginal hysterectomy, for uterus 250 g or less;	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58262	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s)	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.
58262	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s)	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58262	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s)	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58262	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s)	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58263	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s), with repair of enterocele	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58263	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s), with repair of enterocele	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Responses to Comments on 56 Code Pairs objected to by ACOG, AUGS, SGS, SUFU

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58263	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s), with repair of enterocele	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58267	Vaginal hysterectomy, for uterus 250 g or less; with colpo-urethrocystopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58267	Vaginal hysterectomy, for uterus 250 g or less; with colpo-urethrocystopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58267	Vaginal hysterectomy, for uterus 250 g or less; with colpo-urethrocystopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58267	Vaginal hysterectomy, for uterus 250 g or less; with colpo-urethrocystopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58270	Vaginal hysterectomy, for uterus 250 g or less; with repair of enterocele	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58270	Vaginal hysterectomy, for uterus 250 g or less; with repair of enterocele	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58270	Vaginal hysterectomy, for uterus 250 g or less; with repair of enterocele	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58275	Vaginal hysterectomy, with total or partial vaginectomy;	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.
58275	Vaginal hysterectomy, with total or partial vaginectomy;	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58275	Vaginal hysterectomy, with total or partial vaginectomy;	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58275	Vaginal hysterectomy, with total or partial vaginectomy;	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58280	Vaginal hysterectomy, with total or partial vaginectomy; with repair of enterocele	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58280	Vaginal hysterectomy, with total or partial vaginectomy; with repair of enterocele	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	CMS will retain this PTP edit with modifier indicator 0, not allowing NCCI-associated modifiers to be used to bypass the edit.
58285	Vaginal hysterectomy, radical (Schauta type operation)	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.
58285	Vaginal hysterectomy, radical (Schauta type operation)	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58285	Vaginal hysterectomy, radical (Schauta type operation)	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58285	Vaginal hysterectomy, radical (Schauta type operation)	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58290	Vaginal hysterectomy, for uterus greater than 250g;	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.
58290	Vaginal hysterectomy, for uterus greater than 250g;	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58290	Vaginal hysterectomy, for uterus greater than 250g;	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58290	Vaginal hysterectomy, for uterus greater than 250g;	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58290	Vaginal hysterectomy, for uterus greater than 250g;	57284	Paravaginal defect repair (including repair of cystocele, if performed); open abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58291	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58291	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58291	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58291	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	57284	Paravaginal defect repair (including repair of cystocele, if performed); open abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58292	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s), with repair of enterocele	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58292	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s), with repair of enterocele	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58292	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s), with repair of enterocele	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58293	Vaginal hysterectomy, for uterus greater than 250 g; with colpo-urethrocytopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58293	Vaginal hysterectomy, for uterus greater than 250 g; with colpo-urethrocytopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58293	Vaginal hysterectomy, for uterus greater than 250 g; with colpo-urethrocytopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58293	Vaginal hysterectomy, for uterus greater than 250 g; with colpo-urethrocytopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58294	Vaginal hysterectomy, for uterus greater than 250 g; with repair of enterocele	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58294	Vaginal hysterectomy, for uterus greater than 250 g; with repair of enterocele	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58294	Vaginal hysterectomy, for uterus greater than 250 g; with repair of enterocele	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58550	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less;	57260	Combined anteroposterior colporrhaphy;	On April 1, 2015, CMS will delete this PTP edit retroactive to October 1, 2014.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58550	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less;	57280	Colpopexy, abdominal approach	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58550	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less;	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58550	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less;	57283	Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.

Column 1 CPT code	COLUMN 1 CODE DESCRIPTOR	Column 2 CPT Code	COLUMN 2 CODE DESCRIPTOR	CMS DECISION
58552	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58553	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 g;	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
58554	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	57282	Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)	On April 1, 2015, CMS will change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.
57545	Excision of cervical stump, abdominal approach; with pelvic floor repair	57280	Colpopexy, abdominal approach	change the modifier indicator on this PTP edit from 0 to 1 retroactive to October 1, 2014, allowing NCCI-associated modifiers to be used to bypass the edit.