

## AUGS PFDR-R Benchmarking Report

This report is used to track performance versus other sites.

Reports can be printed, exported to Excel, and exported to CSV file

De-identified data from other sites can be obtained by completing a data request form and submitted to the Scientific Committee

	My Site	All Sites
<b>Enrollment</b>		
Total Sites	0	0
Total Patients Enrolled	0	0
. Patients Enrolled- Surgery	0	0
. Patients Enrolled- Pessary	0	0
Total Visits	0	0
. Visits - Baseline	0% (0)	0% (0)
. Visits - Initial Procedure	0% (0)	0% (0)
. Visits - 2 Month Follow-up	0% (0)	0% (0)
. Visits - 6 Month Follow-up	0% (0)	0% (0)
. Visits - 12 Month Follow-up	0% (0)	0% (0)
. Visits - 18 Month Follow-up	0% (0)	0% (0)
. Visits - 24 Month Follow-up	N/A (0)	N/A (0)
. Visits - 36 Month Follow-up	N/A (0)	N/A (0)
<b>Participant Characteristics (Baseline)</b>		
Age (mean, SD)	0(0.0)	0(0.0)
<b>Race</b>		
. American Indian or Alaska Native	0% (0)	0% (0)
. Asian	0% (0)	0% (0)
. Black or African American	0% (0)	0% (0)
. White	0% (0)	0% (0)
. Native Hawaiian or Pacific Islander	0% (0)	0% (0)
. Other	0% (0)	0% (0)
. Not Disclosed	0% (0)	0% (0)
<b>Ethnicity</b>		
. Hispanic or Latino	0% (0)	0% (0)
. Not Hispanic or Latino	0% (0)	0% (0)
. Not Disclosed	0% (0)	0% (0)
<b>Smoking status</b>		
. Current	0% (0)	0% (0)
. Previous	0% (0)	0% (0)
. Never	0% (0)	0% (0)
. Not Assessed	0% (0)	0% (0)
<b>Menopausal status</b>		
. Premenopausal	0% (0)	0% (0)

. Postmenopausal	0% (0)	0% (0)
Prior hysterectomy	0% (0)	0% (0)
Prior pelvic surgery for prolapse	0% (0)	0% (0)
BMI (mean, SD)	0(0)	0(0)
Prolapse Stage (POP-Q) - overall Stage		
. Stage 0	0% (0)	0% (0)
. Stage 1	0% (0)	0% (0)
. Stage 2	0% (0)	0% (0)
. Stage 3	0% (0)	0% (0)
. Stage 4	0% (0)	0% (0)
Prolapse Assessment		
. Overall - Above Hymen	0% (0)	0% (0)
. Overall - At Hymen	0% (0)	0% (0)
. Overall - Beyond Hymen	0% (0)	0% (0)
Surgery Information		
Total Surgeries (Initial Procedures)	0	0
Category of Prolapse Surgery		
. Vaginal native tissue repair	0% (0)	0% (0)
. . Apical suspension	0	1
. . Enterocele repair	0	0
. . Anterior repair	0	1
. . Posterior repair	0	0
. B. Vaginal mesh/graft repair	0% (0)	0% (0)
. . Apical suspension	0	0
. . Enterocele repair	0	0
. . Anterior repair	0	0
. . Posterior repair	0	0
. C. Sacrocolpopexy	0% (0)	0% (0)
. D. Combined approach augmented repairs	0% (0)	0% (0)
. E. Abdominal approach native-tissue repair	0% (0)	0% (0)
. F. Obliterative repair	0% (0)	0% (0)
Concurrent procedures		
. Hysterectomy	0% (0)	0% (0)
. Anti-incontinence surgery	0% (0)	0% (0)
. . Midurethral sling	0% (0)	0% (0)
Perioperative Antibiotics	0% (0)	0% (0)
DVT Prophylaxis	0% (0)	0% (0)
Prolapse Effectiveness Outcomes (1 Year Post-Intervention)		
Surgical Treatment Success (Composite Outcome)	N/A(0)	N/A(0)
. Subjective Success	N/A(0)	N/A(0)
. Anatomic Success (above or at hymen) – Overall	N/A(0)	N/A(0)
. . . Anatomic Success - Anterior	0	0
. . Anatomic Success - Posterior	0	0
. . Anatomic Success - Apical	0	0
. No Retreatment - Overall	N/A(0)	N/A(0)

. . No Retreatment with Pessary	0	0
. . No Retreatment with Surgery	0	0
Pessary Treatment Success (Composite Outcome)	N/A(0)	N/A(0)
. Subjective Success	N/A(0)	N/A(0)
. No Retreatment with Surgery	0	0
Other Outcomes (1 Year Post-Intervention)		
Surgical Treatment for Stress Urinary Incontinence	N/A(0)	N/A(0)
. In Patient with SUI Surgery at Initial Procedure	0	0
. In Patient Without SUI Surgery at Initial Procedure	0	0
Safety Endpoints		
Surgery Treatment Group		
. Intra-Operative Events/Complications	0%(0)	0%(0)
. . Aborted procedure	0%(0)	0%(0)
. . Conversion to laparotomy	0%(0)	0%(0)
. . Mesh/device malfunction	0%(0)	0%(0)
. . Transfusion	0%(0)	0%(0)
. . Ureteral injury	0%(0)	0%(0)
. . Visceral organ injury	0%(0)	0%(0)
. Hospital Adverse Events/Complications	0%(0)	0%(0)
. . Hematoma	0%(0)	0%(0)
. . Ileus/Bowel Obstruction	0%(0)	0%(0)
. . Pelvic Infection/Abscess	0%(0)	0%(0)
. . Peripheral Nerve Injury	0%(0)	0%(0)
. . Postoperative DVT or PE	0%(0)	0%(0)
. . Unplanned ICU Admission	0%(0)	0%(0)
. . Interventional Radiology Procedure	0%(0)	0%(0)
. . Reoperation	0%(0)	0%(0)
. Follow-Up Complications/Problems	0%(0)	0%(0)
. . Hematoma	0%(0)	0%(0)
. . Ileus/Bowel Obstruction	0%(0)	0%(0)
. . Pelvic Infection/Abscess	0%(0)	0%(0)
. . Peripheral Nerve Injury	0%(0)	0%(0)
. . Thrombotic Event	0%(0)	0%(0)
. . Ureteral Injury	0%(0)	0%(0)
. . Vaginal Mesh Exposure	0%(0)	0%(0)
. . . Vaginal Mesh Exposure (among those with Augmented Prolapse Surgeries)	N/A(0)	0%(0)
. . . Exposure Size $\leq$ 1 cm	N/A(0)	N/A(0)
. . . Exposure Size $>$ 1 cm	N/A(0)	N/A(0)
. . Visceral Mesh Erosion	0%(0)	0%(0)
. . Visceral organ injury/fistula	0%(0)	0%(0)
. . Difficulty emptying bladder	0%(0)	0%(0)
. . Dyspareunia	0%(0)	0%(0)
. . Pelvic Pain	0%(0)	0%(0)
. Treatment Required for Follow-Up		

Complications/Problems		
. . None or outpatient medical treatment	0% (0)	0% (0)
. . Office procedure intervention only	0% (0)	0% (0)
. . Hospital admission without surgery	0% (0)	0% (0)
. . Outpatient/inpatient surgery	0% (0)	0% (0)
Pessary Treatment Group		
. Vaginal Erosions	0% (1)	0% (0)